Author Index of Volume 32

Aguf, I. A., 303
Ahlberg, E., 243
Aravamuthan, S., 1

Beck, F., 287
Begum, S. N., 55
Beketaeva, L. A., 143
Berghult, B., 243

Capuano, F., 381
Chang, T. G., 151
Chidambaram, VR., 55
Croce, F., 381, 389

Das, K., 187, 401

Ema, K., 125, 135

Foxworthy, A. M., 315
Furukawa, N., 373

Gabriel, C. J., 353
Gardner, C. L., 151
Gonzalez, I., 43

Halliop, E., 261
Hill, R. J., 315

Ito, Y., 125, 135

Jarvis, L., 271
Jayalakshmi, N., 277, 341
Jindra, J., 303
Johansson, L. Y., 253
Johnson, P. J., 63

Kanbara, T., 165
Kannan, A. M., 99
Kannan, K. R., 99
Kivisaari, J., 233
Knudsen, N., 175
Koksbang, R., 175
Krohn, H., 287

Laitinen, T., 71
Lamminen, J., 233
Lampinen, M. J., 207, 233
Larsson, R., 253
Levy Clement, C., 1
Litzenberger, I., 287
Lomaniec, J., 19
Lundsgaard, J. S., 175

Madhavan, S., 1
Martins, M. A. G., 107
Meas, Y., 43
Minett, M. G., 81
Mitchell, P. J., 31
Mosier-Boss, P. A., 353
Mrha, J., 303
Muralidharan, V. S., 277, 341
Musilová, M., 303
Mustaffin, R. V., 303

Nakane, I., 373
Nishimura, K., 165
Nishio, K., 373
Nohma, T., 373

Olsen, I. I., 175
Owen, J. R., 81

Quiroz, M. A., 43

Radhakrishna, S., 397
Rashwan, S., 287
Roberge, P. R., 261
Rybalka, K. V., 143

Sabapathi, R., 55
Sahari, A., 407
Sakamura, Y., 125, 135
Sanchez, H., 43
Santhanam, K. S. V., 1
Sarma, R. V. G. K., 397
Sathyanarayana, S., 329
Scibona, G., 381
Scrosati, B., 381, 389
Selvaggi, A., 381, 389
Selvan, S. T., 55
Sequeira, C. A. C., 107
Shukla, A. K., 99, 329
Simonsson, D., 143
Skowroński, J. M., 195
Smit, J., 261
Smith, J. J., 353
Sokolov, M., 19
Sundholm, G., 71
Szpak, S., 353

Takeda, K., 9
Tokuda, K., 165
Tønder, P. E., 175
Tsenter, B. I., 303

Valeriote, E. M., 151
Vasu, K. I., 55
Verville, G., 261
Viitanen, M., 207, 233
Vijayamohanan, K., 329
Vilhunen, J. K., 71

White, R. J., 315
Wilcox, G. D., 31

Xie, G., 125, 135

Yamamoto, T., 165
Yamamoto, Y., 373
Yde-Andersen, S., 175

Zerroual, L., 407

Elsevier Sequoia/Printed in The Netherlands

Subject Index of Volume 32

Active mass
structural changes in, of negative electrode of lead/acid battery during charging, 143
Air electrodes
mathematical model and optimization of structure for porous, 207
preparation and measurement of, for alkaline fuel cells, 233
Ammonium chloride
electrochemical reactivity of CrO_3–graphite system in, solutions, 195
Ammonium compounds
quaternary; electrolyte additives for Zn-anoded secondary cells, 31
Anodic oxidation
of Pb in sulphuric acid solutions; effect of different perchlorate salts on Planté formation, 243

Battery(ies)
lead/acid
effect of Cd, Ni, Zn and Co ions on electrode reactions of, 43
structural changes in active mass of negative electrode of, during charging, 143
lead/mercury, preliminary studies on rechargeable, 187
Li polymer electrolyte
roles of composition and morphology of positive electrode, 389
use of composite electrolytes, 381
Li secondary, Li-containing Mn dioxide (composite dimensional Mn oxide: CDMO) as positive material for, 373
photovoltaic, low-temperature charge acceptance of 500 A h; laboratory and field tests, 151
polymer electrolyte, rechargeability and rate capability of, at room temperature, 175
Battery cells
non-destructive characterization of sealed lead/acid, with electrochemical impedance spectroscopy, 261
Battery electrodes
low-cost, computer-aided electrochemical system for characterizing, 99
Battery materials
lead–acid, PEAKS®, PC-based method for quantitative X-ray diffraction phase analysis of, 315
Battery performance
Mg/MnO_2, beneficial effect of increased cathode water content on, 271
Button cells
optimizing the parameters of cell expansion in alkaline Mn dioxide, 9

Cadmium
effect of Cd, Ni, Zn and Co ions on electrode reactions of lead–acid battery, 43
effect of Fe addition to Cd electrode, 55
electrolyte fill quantity and limiting capacity in sealed Ni–Cd cells, 19
Carbon
clay–carbon composites as electrodes, electric double-layer capacitors using porous and electrically conducting, 165
Carbonate
characterization of Ni oxide in molten electrochemical behaviour of higher, 125
in situ X-ray diffraction of higher, 135
Capacitors
electric double-layer, using porous and electrically conducting clay–carbon composites as electrodes, 165
Catalytic properties
of mixed oxides for electrochemical reduction of oxygen, 253
Cathode water content
beneficial effect of increased, on Mg/MnO_2 battery performance, 271
CDMO
composite dimensional Mn oxide; Li-containing Mn dioxide as positive material for Li secondary battery, 373

Elsevier Sequoia/Printed in The Netherlands

Cell(s)
lead–acid
effect of curing on positive plate behaviour in, 407
study of sealed, 303
Na–S, impedance of, at very low frequencies, 63
Ni–Cd, electrolyte fill quantity and limiting capacity in sealed, 19
Ni–Fe, developmental studies on porous Fe electrodes for, 341
solid-state, application of Ag boromolybdate glasses as electrolytes in, 397
Zn-anoded secondary, electrolyte additives for; quaternary ammonium compounds, 31
Cell expansion
optimizing the parameters of, in alkaline Mn dioxide button cells, 1
Charging
Structural changes in active mass of negative electrode of lead/acid battery during, 143
Chromium
electrochemical reactivity of CrO_3–graphite system in ammonium chloride solution, 195
Clay–carbon composites
as electrodes, electric double-layer capacitors using porous and electrically conducting, 165
Cobalt
effect of Cd, Ni, Zn and Co ions on electrode reactions of lead–acid battery, 43
Conductivity
of divalent polymeric electrolytes, factors affecting, 107
Curing
effect of, on positive plate behaviour in lead–acid cells, 407
(Cyclo)alkylammonium hydrogen sulphates
new Zn and Fe electrodes of second kind in sulphuric acid, hydrofluoric acid and, 287

Development studies
on porous Fe electrodes for Ni–Fe cell, 341

Electrochemical behaviour
of Fe oxide electrodes in alkali solutions, 277
of higher Ni oxide in molten carbonate, 125
Electrochemical impedance spectroscopy
non-destructive characterization of sealed lead/acid battery cells with, 261
Electrochemical phase-formation processes
at Hg electrode in sulphuric acid, 401
Electrochemical reactivity
of CrO_3–graphite system in ammonium chloride solution, 195
Electrochemical reduction
of oxygen, catalytic properties of mixed oxides for, 253
Electrochemical system
low-cost, computer-aided, for characterizing battery electrodes, 99
Electrode(s)
effect of Fe addition to Cd, 55
electric double-layer capacitors using porous and electrically conducting clay–carbon composites as, 165
electrochemical behaviour of Fe oxide, in alkali solutions, 277
electrochemical phase-formation processes at Hg, in sulphuric acid, 401
formation mechanism of porous alkaline Fe, 329
low-cost, computer-aided electrochemical system for characterizing battery, 99
mathematical model and optimization of structure for porous air, 207
preparation and measurement of air, for alkaline fuel cells, 233
roles of composition and morphology of positive; Li polymer electrolyte battery, 389
structural changes in active mass of negative, of lead/acid battery during charging, 143
V and Ti oxides prepared by hydrolysis of alkoxides as insertion, in Li cells with polymeric electrolytes, 81
Zn and Fe, of second kind in sulphuric acid, hydrofluoric acid and (cyclo)alkylammonium hydrogen sulphates, new, 287
Electrode reactions
effect of Cd, Ni, Zn and Co ions on, of lead–acid battery, 43
Electrolyte(s)
application of Ag boromolybdate glasses as, in solid-state cells, 397

factors affecting conductivity of divalent polymeric, 107
use of composite; Li polymer electrolyte battery, 381
V and Ti oxides prepared by hydrolysis of alkoxides as insertion electrodes in Li cells with polymeric, 81
Electrolyte additives
for Zn-anoded secondary cells; quaternary ammonium compounds, 31
Electrolyte fill quantity
and limiting capacity in sealed Ni–Cd cells, 19

Formation mechanism
of porous alkaline Fe electrodes, 329
Fuel cells
preparation and measurement of air electrodes for alkaline, 233

Graphite
electrochemical reactivity of CrO_3^-, system in ammonium chloride solution, 195

Hydrofluoric acid
new Zn and Fe electrodes of second kind in sulphuric acid, and (cyclo)alkylammonium hydrogen sulphates, 287

Impedance
of Na–S cells at very low frequencies, 63
Intercell currents
in assembly of modules; quality control considerations, 353
Iron
developmental studies on porous Fe electrodes for Ni–Fe cell, 341
effect of Fe addition to Cd electrode, 55
Iron electrode(s)
developmental studies on porous, for Ni–Fe cell, 341
formation mechanism of porous alkaline, 329
new Zn and Fe electrodes of second kind in sulphuric acid, hydrofluoric acid and (cyclo)alkylammonium hydrogen sulphates, 287
Iron oxide electrodes
electrochemical behaviour of, in alkali solutions, 277

Lead
anodic oxidation of, in sulphuric acid solutions; effect of different perchlorate salts on Planté formation, 243
sample treatment in X-ray diffraction analysis of oxidation products of, 71
Lead/acid battery
effect of Cd, Ni, Zr and Co ions on electrode reactions of, 43
structural changes in active mass of negative electrode of, during charging, 143
Lead/acid battery cells
non-destructive characterization of sealed, with electrochemical impedance spectroscopy, 261
Lead/acid battery materials
PEAKS*, PC-based method for quantitative X-ray diffraction phase analysis of, 315
Lead/acid cells
effect of curing on positive plate behaviour in, 407
study of sealed, 303
Lead/mercury battery
preliminary studies on rechargeable acidic, 187
Limiting capacity
electrolyte fill quantity and, in sealed Ni–Cd cells, 19
Lithium
Li-containing Mn dioxide (composite dimensional Mn oxide: CDMO) as positive material for Li secondary battery, 373
polymer electrolyte battery
roles of composition and morphology of positive electrode, 389
use of composite electrolytes, 381
V and Ti oxides prepared by hydrolysis of alkoxides as insertion electrodes in Li cells with polymeric electrolytes, 81
Low-temperature charge acceptance
of 500 A h photovoltaic batteries; laboratory and field tests, 151

Magnesium
beneficial effect of increased cathode water content on Mg/MnO_2 battery performance, 271
Manganese
beneficial effect of increased cathode water content on Mg/MnO_2 battery performance, 271

Manganese dioxide
button cells, optimizing the parameters of cell expansion in alkaline, 9
Li-containing, (composite dimensional Mn oxide: CDMO) as positive material for Li secondary battery, 373
Mathematical model
and optimization of structure for porous air electrodes, 207
Mercury
electrochemical phase-formation processes at Hg electrode in sulphuric acid, 401
preliminary studies on rechargeable Pb/Hg battery, 187
Modules
intercell currents in assembly of; quality control considerations, 353
Molybdenum
n-$MoSe_2$ grafted with polycarbazole for extended life of photoanode, 1

Nickel
developmental studies on porous Fe electrodes for Ni–Fe cell, 341
effect of Cd, Ni, Zn and Co ions on electrode reactions of lead–acid battery, 43
electrolyte fill quantity and limiting capacity in sealed Ni–Cd cells, 19
Nickel oxide
in molten carbonate, characterization of,
electrochemical behaviour of higher, 125
in situ X-ray diffraction of higher, 135
n-$MoSe_2$
grafted with polycarbazole for extended life of photoanode, 1

Oxidation products
of Pb, sample treatment in X-ray diffraction analysis of, 71
Oxides
catalytic properties of mixed, for electrochemical reduction of oxygen, 253
Oxygen
catalytic properties of mixed oxides for electrochemical reduction of, 253

PEAKS*
PC-based method for quantitative X-ray diffraction phase analysis of lead–acid battery materials, 315
Perchlorate salts
anodic oxidation of Pb in sulphuric acid solutions; effect of different, on Planté formation, 243
Photoanode
n-$MoSe_2$ grafted with polycarbazole for extended life of, 1
Photovoltaic batteries
low-temperature charge acceptance of 500 A h; laboratory and field tests, 151
Planté formation
anodic oxidation of Pb in sulphuric acid solutions; effect of different perchlorate salts on, 243
Polycarbazole
n-$MoSe_2$ grafted with, for extended life of photoanode, 1
Polymer electrolyte batteries
rechargeability and rate capability of, at room temperature, 175
Polymeric electrolyte(s)
factors affecting conductivity of divalent, 107
V and Ti oxides prepared by hydrolysis of alkoxides as insertion electrodes in Li cells with, 81
Positive material
Li-containing Mn dioxide (composite dimensional Mn oxide: CDMO) as, for Li secondary battery, 373
Positive plate behaviour
effect of curing on, in lead–acid cells, 407

Quality control considerations
intercell currents in assembly of modules, 353

Rate capability
of polymer electrolyte batteries at room temperature, rechargeability and, 175
Rechargeability
of polymer electrolyte batteries at room temperature, and rate capability, 175

Sample treatment
in X-ray diffraction analysis of oxidation products of Pb, 71
Silver boromolybdate glasses
application of, as electrolytes in solid-state cells, 397

Sodium
impedance of Na–S cells at very low frequencies, 63
Solid-state cells
application of Ag boromolybdate glasses as electrolytes in, 397
Structural changes
in active mass of negative electrode of lead/acid battery during charging, 143
Sulphur
impedance of Na–S cells at very low frequencies, 63
Sulphuric acid
anodic oxidation of Pb in, solutions; effect of different perchlorate salts on Planté formation, 243
electrochemical phase-formation processes at Hg electrode in, 401
new Zn and Fe electrodes of second kind in, hydrofluoric acid and (cyclo)alkylammonium hydrogen sulphates, 287

Titanium
V and Ti oxides prepared by hydrolysis of alkoxides as insertion electrodes in Li cells with polymeric electrolytes, 81

Vanadium
V and Ti oxides prepared by hydrolysis of alkoxides as insertion electrodes in Li cells with polymeric electrolytes, 81

X-ray diffraction
of higher Ni oxide in molten carbonate, *in situ*, 135
X-ray diffraction analysis
sample treatment in, of oxidation products of Pb, 71
X-ray diffraction phase analysis
of lead–acid battery materials, PEAKS*, PC-based method for quantitative, 315

Zinc
effect of Cd, Ni, Zn and Co ions on electrode reactions of lead–acid battery, 43
electrolyte additives for Zn-anoded secondary cells; quaternary ammonium compounds, 31
new Zn and Fe electrodes of second kind in sulphuric acid, hydrofluoric acid and (cyclo)alkylammonium hydrogen sulphates, 287